

*7 ft. casing
12 in. pipe
1/2 in. hole*

WELL LOG and REPORT

In this column indicate the kind of casing, liner, shoe and other accessories used.

WELL DIAGRAM
Use a red line to show casing or liner pipe. Use black for drill or borehole.

In this column state the kind of formations penetrated, their thickness in feet and if water bearing.

Record of FINAL Pumping test

Std. wt. pipe
"well drillers special"

Inches Diameter		Depth								
2	3		4	5	6	8	10	12	14	16
		25								
		47 ft								
		50								
		75								
		100								
		150								
		200								
		400								
		800								
		1200								

F.S. shoe

Clay 15'

Broken Limestone 25'
+ gravel

Solid Sandstone

Duration of test
Hours 4

Pumping rate
G.P.M. 7

Depth of pump in well. Ft. 53 ft

Standing water-level (from surface)
Ft. 35 ft

Water-level when pumping Ft. 35

Water. End of test.
Clear
Cloudy _____
Turbid _____

Was the well sterilized?
Yes No _____

To which laboratory was sample sent?
Madison
Date 10-21-1941

Was the well sealed on completion?
Yes No _____

How high did you leave the casing-pipe above grade?
12"

Well was completed
Date 10-21-1941

Well Driller
Carl Williams
Signature

Draw the diagram to show the right half only