

AUG 18 1978

1. COUNTY <u>Crawford</u>		CHECK (✓) ONE: <input checked="" type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City		Name <u>Freeman</u>	
2. LOCATION <u>SE</u> 1/4 Section <u>NE</u> Section <u>19</u> Township <u>11N</u> Range <u>5W</u>		3. NAME <input checked="" type="checkbox"/> OWNER <input type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE		<u>Steve Hobart</u>	
OR - Grid or Street No. Street Name		ADDRESS <u>RFD</u>		POST OFFICE <u>Lynxville, Wis., 54640</u>	
AND - If available subdivision name, lot & block No.					
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building		Sanitary Bldg. Drain	
		C.I. Other		C.I. Other	
		Sanitary Bldg. Sewer		Floor Drain Connected To:	
		C.I. Other		C.I. Sewer Other Sewer	
		Storm Bldg. Drain		Storm Bldg. Sewer	
		C.I. Other		C.I. Other	
Street Sewer		Other Sewers		Foundation Drain Connected to:	
San. Storm		C.I. Other		Sewage Sump	
				Clearwater Sump	
				Septic Tank	
				Holding Tank	
				Sewage Absorption Unit	
				Seepage Pit	
				Seepage Bed	
				Seepage Trench	
Privy		Pet Waste Pit		Pit: Nonconforming Existing	
				Well	
				Pump	
				Tank	
				Subsurface Pumproom	
				Nonconforming Existing	
				Barn Gutter	
				Animal Barn Pen	
				Animal Yard	
				Silo With Pit	
				Glass Lined Storage Facility	
				Silo w/o Pit	
				Earthen Silage Storage Trench Or Pit	
Temporary Manure Stack		Watertight Liquid Manure Tank		Solid Manure Storage Structure	
				Subsurface Gasoline or Oil Tank	
				Waste Pond or Land Disposal Unit (Specify Type)	
				Other (Give Description)	
5. Well is intended to supply water for: <u>Pasture</u>		9. FORMATIONS			
		Kind		From (ft.) To (ft.)	
		<u>Clay</u>		Surface 0 31	
		<u>hard limestone</u>		31 180	
		<u>hard sandstone</u>		180 260	
6. DRILLHOLE		Dia. (in.)		From (ft.) To (ft.)	
		10		Surface 0 59	
				6 59 260	
7. CASING, LINER, CURBING AND SCREEN		Material, Weight, Specification & Method of Assembly		From (ft.) To (ft.)	
		<u>new black steel P.E. 18.97</u>		Surface 0 59	
		<u>A-53</u>			
		<u>Valley steel</u>			
8. GROUT OR OTHER SEALING MATERIAL		Kind		From (ft.) To (ft.)	
		<u>Clay</u>		Surface 0 2	
		<u>Cement</u>		2 59	
10. TYPE OF DRILLING MACHINE USED		Well construction completed on <u>7-17-1978</u>			
<input type="checkbox"/> Cable Tool		<input type="checkbox"/> Rotary-hammer w/drilling mud & air		<input type="checkbox"/> Jetting with	
<input type="checkbox"/> Rotary-air w/drilling mud		<input checked="" type="checkbox"/> Rotary-hammer & air		<input type="checkbox"/> Air	
<input type="checkbox"/> Rotary-w/drilling mud		<input type="checkbox"/> Reverse Rotary		<input type="checkbox"/> Water	
11. MISCELLANEOUS DATA		Yield Test: <u>2</u> Hrs. at <u>8</u> GPM		Well is terminated <u>14</u> inches <input checked="" type="checkbox"/> above final grade <input type="checkbox"/> below	
Depth from surface to normal water level <u>190</u> Ft.		Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Depth of water level when pumping <u>205</u> Ft. Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Water sample sent to <u>Madison</u> laboratory on <u>8-14-1978</u>					

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Kenneth Copian Registered Well Driller Complete Mail Address R3 Box 84 Boocook, Wis. 53805